

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22086	((382/128,129,130,131,132,133,134) or (378/62,98,901) or (345/6,419,424,586) or (128/916,920,925) or (600/407,424,425)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 14:37
L2	2255	1 and imag\$3 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 14:38
L3	1750	2 and (three-dimension\$3 or 3D or 3-D or 3-d)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 14:39
L4	1102	3 and (microprocess\$3 or computer or processor) and (memor\$3 or stor\$3) and (visualizt\$3 or visual\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 14:39
L5	96	4 and interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 14:39

EAST Search History (Prior Art)

L6	9	5 and (((nonuniform\$3 or non-uniform\$3) and (qualit\$3) near4 (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:40
L7	1	6 and variat\$3 near4 render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:40
L8	2287	interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:41
L9	697	8 and ((three-dimension\$3 or 3D or 3-D or 3-d) near4 (data))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:41
L10	501	9 and (microprocess\$3 or computer or processor) and (memor\$3 or stor\$3) and (visualizt\$3 or visual\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:41
L11	1	10 and variat\$3 near4 render\$3 near4 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:42

EAST Search History (Prior Art)

L12	542	8 and ((three-dimension\$3 or 3D or 3-D or 3-d) near4 (image))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:43
L13	437	12 and (microprocess\$3 or computer or processor) and (memor\$3 or stor\$3) and (visualizt\$3 or visual\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:43
L14	57	13 and ((varying or variat\$3) same (render\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:43
L15	21	14 and (((qualit\$3 near4 imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:44
L16	0	15 and (((nonuniform\$3 or non-uniform\$3) and (qualit\$3 near4 imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:44
L17	82	variat\$3 near4 render\$3 near4 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:45

EAST Search History (Prior Art)

L18	2	17 and interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:45
L19	20	interactiv\$3 near4 input\$3 near4 render\$3 near4 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:45
L20	2	19 and variat\$3 near4 render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:46
L21	3906	((varying or variat\$3) near4 (render\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:46
L22	732	21 and (three-dimension\$3 or 3D or 3-D or 3-d)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:46
L23	441	22 and render\$3 near4 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:46

EAST Search History (Prior Art)

L24	217	23 and imag\$3 near4 qualit\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:47
L25	185	24 and (microprocess\$3 or computer or processor) and (memor\$3 or stor\$3) and (visualizt\$3 or visual\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:47
L26	9	25 and interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:47
L27	1	26 and (nonuniform\$3 or non-uniform\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:48
L29	1	27 and variat\$3 near4 render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:49
L30	12	21 and scan\$3 near4 mode	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:50

EAST Search History (Prior Art)

L31	3	30 and (three-dimension\$3 or 3D or 3-D or 3-d)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:51
L32	2	31 and render\$3 near4 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:51
L33	1	32 and imag\$3 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2010/06/07 14:51
S1	2	("6198847").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/11/24 12:33
S2	2	("5877771").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/11/24 12:35
S3	2	("5426684").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/11/24 12:36

EAST Search History (Prior Art)

S4	11382	((382/128,129,130,131,132,133,134) or (378/62,98,901) or (345/586) or (128/920,925)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/11/24 12:40
S7	71	S4 and interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:41
S8	8	S7 and (nonuniform\$3 or non-uniform\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:42
S9	1	S8 and variat\$3 near4 render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:42
S10	1775	variati\$3 near4 render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:43
S12	116	S10 and (nonuniform\$3 or non-uniform\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:43

EAST Search History (Prior Art)

S13	2	S12 and interactive\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 12:44
S14	2	S12 and interactive\$4 same visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 12:45
S15	2	S12 and interactive\$4 near4 input\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 12:45
S16	244	S10 and (three-dimension\$3 or 3D or 3-D)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 12:46
S17	3	S16 and ((nonuniform\$3 or non-uniform\$3) near4 (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 12:47
S18	6	S16 and ((nonuniform\$3 or non-uniform\$3) same (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/24 12:47

EAST Search History (Prior Art)

S19	2312	((visualiz\$4) near4 (three-dimension\$3 or 3D or 3-D))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:49
S20	158	S19 and (nonuniform\$3 or non-uniform\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:49
S21	19	S19 and ((nonuniform\$3 or non-uniform\$3) near4 (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:50
S22	2	S21 and interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:50
S23	157	S19 and interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:50
S24	17	S23 and (nonuniform\$3 or non-uniform\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:50

EAST Search History (Prior Art)

S25	1	S24 and variat\$3 near4 render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:51
S26	1	S24 and variat\$3 same render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:51
S27	4	S23 and variat\$3 same render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:51
S28	14967	10and interactiv\$4 near4 input\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:54
S29	9	S10 and interactiv\$4 near4 input\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:54
S30	1	S29 and ((visualiz\$4) near4 (three-dimension\$3 or 3D or 3-D))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:54

EAST Search History (Prior Art)

S31	7	S29 and ((visualiz\$4) and (three-dimension\$3 or 3D or 3-D))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:54
S32	6	S10 and interactiv\$4 near4 visualiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:55
S33	5	S32 and ((visualiz\$4) and (three-dimension\$3 or 3D or 3-D))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:56
S34	4	S33 and interactiv\$4 same render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:56
S35	5	S10 and ((nonuniform\$3 or non-uniform\$3) near4 (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:58
S36	2	S10 and (((nonuniform\$3 or non-uniform\$3) near4 (qualit\$3) near4 (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:59

EAST Search History (Prior Art)

S37	1405	((nonuniform\$3 or non-uniform\$3) near4 (qualit\$3) near4 (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 12:59
S38	5	S37 and ((varying or variat\$3) near4 (render\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:00
S39	13	S37 and ((varying or variat\$3) same (render\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:02
S40	3779	((varying or variat\$3) near4 (render\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:04
S41	21	S40 and ((nonuniform\$3 or non-uniform\$3) near4 (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:04
S42	15	S41 and (((nonuniform\$3 or non-uniform\$3) and (qualit\$3) near4 (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:05

EAST Search History (Prior Art)

S43	21	S40 and ((nonuniform\$3 or non-uniform\$3 or non near4 uniform\$3) near4 (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:06
S44	4	S27 and (MRI or MR) and scan\$3 and maximum\$2 and qualit\$3 and ray\$2	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:18
S45	4	S44 and interactiv\$4 same render\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:19
S46	4	S45 and (microprocess\$3 or computer or processor) and (memor\$3 or stor\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:20
S47	3	S45 and (microprocess\$3 or computer or processor) and (memor\$3 or stor\$3) and (visualizt\$3 or visual\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:21
S48	136316	sampl\$3 near4 rate	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:49

EAST Search History (Prior Art)

S49	16	sampl\$3 near4 rate near4 first near4 area	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:50
S50	9	S49 and sampl\$3 near4 rate near4 second near4 area	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:50
S51	1	S49 and sampl\$3 near4 rate near4 second near4 area and focus\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:50
S52	1824	((varying or variat\$3) near4 (sampl\$3 near4 rate))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:51
S53	24	S52 and (((nonuniform\$3 or non-uniform\$3) and (qualit\$3) near4 (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:51
S54	3	S52 and (((nonuniform\$3 or non-uniform\$3) and (qualit\$3) near4 (imag\$3))) and focus\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:52

EAST Search History (Prior Art)

S55	5	S52 and (((nonuniform\$3 or non-uniform\$3) near4 (imag\$3))) and focus\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:53
S56	10	S52 and (((nonuniform\$3 or non-uniform\$3) near4 (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:54
S57	25	S52 and ((varying or variat\$3) near4 (render\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:58
S58	2	S57 and (((nonuniform\$3 or non-uniform\$3) near4 (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:58
S59	3	S57 and (((nonuniform\$3 or non-uniform\$3) same (imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:58
S60	3	S57 and (((nonuniform\$3 or non-uniform\$3) and (qualit\$3 near4 imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 13:59

EAST Search History (Prior Art)

S61	5	S57 and (((qualit\$3 near4 imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:00
S62	111	S52 and (((qualit\$3 near4 imag\$3)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:01
S63	22	S62 and ((varying or variat\$3) same (render\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:01
S64	4	S62 and ((varying or variat\$3) with (render\$3)) and focus\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:01
S65	22	S63 and sampl\$3 near4 rat\$2	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:03
S66	0	S63 and sampl\$3 near4 rat\$2 and impage	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:03

EAST Search History (Prior Art)

S67	4	S63 and sampl\$3 near4 rat\$2 and maximum near4 qualit\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:04
S68	4	("6610013").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/11/24 14:11
S69	22	S63 and sampl\$3 near4 rat\$2	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:27
S70	7	S63 and sampl\$3 near4 rat\$2 and focus\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/11/24 14:27